

Intrinsically Safe - Gas LIPS® SERIES G117			Part Number Coding											
			G117	Travel	A	Blank	Body & Cable	Option 1	Option 2	Option 3	Option 4	Z000		
Slim-line Linear Sensor														
Travel														
mm of stroke	5-350 mm	Value												
Electrical Interface Options														
Input		Output												
+ 5 V dc		See below	A											
Adjusts not available														
Body Style														
3 Core Cable - Radial Gland	Please specify cable length in cm.	Ixx	eg. I2000 specifies 20 metres of 3 core cable with a radial cable gland											
5 Core Cable - Radial Gland	Please specify cable length in cm.	IQxx	eg. IQ2000 specifies 20 metres of 5 core cable with a radial cable gland											
Connector - Axial		J												
Connector - Radial		K												
3 Core Cable - Axial Gland	Please specify cable length in cm.	Lxx	eg. L2000 specifies 20 metres of 3 core cable with an axial cable gland											
5 Core Cable - Axial Gland	Please specify cable length in cm.	LQxx	eg. LQ2000 specifies 20 metres of 5 core cable with an axial cable gland											
OPTIONS														
Body Fittings														
M5 Rod End fitted to body	Only available on Radial Version	N	Option 1											
Body Clamp														
Body Clamps (1 pair)		P	Option 2											
Push Rod Fittings														
M5 Rod End fitted to Push Rod		U	Option 3											
Non Captive Push Rod														
Push Rod not retained in body		V	Option 4											
Tighter Linearity														
± 0.1% Linearity	from 10mm stroke only	Z650	Zsuffix											

Please Note: This sensor *must* be used with a Galvanic Isolation Amplifier - See G005 sheet for Output options.